

LGBTQ+

## Description

To Jesus:

You can use this as an aide to your own research and share with your doctor.

You can use drugs.com or other trusted health websites to look up the latest information on prescription & herbal drugs possible side & interaction effects.

God loves all people.

All people are equal in the eyes of God.

People get to decide what their preferences are, and who they are inside.

## Transgender difficulties

### Gender reassignment surgery

A six year study in the US found that people who had male to female gender reassignment surgery (GRS), vaginoplasty, had 2x greater suicide attempts than people who had none or who had female to male GRS. A ten year followup post intervention in Sweden -for years very accepting of GRS- found a 19x (1900%) increase in suicide attempts by people who had undergone GRS vs the general population.

Why? Male to female surgery appears to have the greatest severe complications like permanent pain, “wound separation, vaginal stenosis, hematoma, rectovaginal fistulas, granulation tissue, bleeding, infection, skin or clitoral necrosis, suture line dehiscence (when the surgical incision opens), urinary retention or vaginal prolapse” up to 70% post surgery.

[theepochtimes.com/health/rates-of-suicide-attempts-doubled-after-gender-reassignment-surgery-5616167?ea\\_src=ai\\_recommender&ea\\_med=desktop\\_health](https://theepochtimes.com/health/rates-of-suicide-attempts-doubled-after-gender-reassignment-surgery-5616167?ea_src=ai_recommender&ea_med=desktop_health)

### Early transgender hormone replacement

When early adolescent boys take testosterone blockers, reportedly their gonads often don't form fully & too often as adults they cannot orgasm. The spine may also not fully mature & cause lifelong back pain.

**Category**

1. Uncategorized

**Date Created**

May 2024

**Author**

biggs

default watermark